- 1. (Canceled)
- 2. (New) A method for monitoring compliance of a patient with a medication regimen, the method comprising:

logging on to a web site,

registering a patient at the web site;

receiving a report at the web site from the patient indicating whether the patient has taken medication; and

receiving a report at the web site from the patient indicating whether the patient has any symptoms after taking the medication.

- 3. (New) The method as recited in claim 2, wherein the patient enters his/her own code.
- 4. (New) The method as recited in claim 2, wherein a case manager performs the logging.
  - (New) The method as recited in claim 2, further comprising
     receiving a report at the web site from the patient describing any side effects.
  - 6. (New) The method as recited in claim 2, further comprising: accessing the web site; reviewing any information reported by the patient; and making a clinical intervention.
- 7. (New) The method as recited in claim 6, wherein the clinical intervention is based on a stage of treatment.
- 8. (New) The method as recited in claim 6, wherein the reviewing and making is performed by a physician.

- 9. (New) The method as recited in claim 8, wherein communication between the physician and the patient is asynchronous.
- 10. (New) The method as recited in claim 8, wherein the physician enters his/her own code at the web site.
- 11. (New) The method as recited in claim 6, wherein a case manager performs the reviewing and making.
- 12. (New) The method as recited in claim 2, wherein the reports are received from the patient daily.
- 13. (New) A web site enabling the monitoring of compliance of a patient with a medication regimen, the web site comprising:

means for receiving first input registering a patient at the web site;

means for receiving second input from a patient, the second input reporting
whether the patient has taken medication, and reporting whether the patient has any

symptoms after taking the medication.

14. (New) A system enabling the monitoring of compliance of a patient with a medication regimen, the system comprising:

a network;

a case manager connected to the network through a first browser, the case manager effective to perform the steps of

logging on to a web site, and

registering a patient at the web site;

the patient connected to the network through a second browser, the patient effective to perform the steps of

logging on to the web site;

reporting whether the patient has taken medication; and

reporting whether the patient has any symptoms after taking the medication.